

# **NHS Contraceptive Services**

**England**

**2006-07**



## KEY FACTS

- There have been around 2.6 million attendances at NHS community contraception clinics every year over the last decade but there was a decline of 4% to 2.5 million in 2006-07. These attendances are made predominantly (91%) by women: about 1.1 million and 0.1 million men.
- Of the 1.1 million women attending community contraception clinics, the proportion aged under 16 has increased over the last 10 years from 6% to 7%.
- The number of men attending clinics has increased by 48% over the last 10 years to 117,000. In 2006-07, there was an increase of 20% in males attendances on 2005-06, mainly due to an increase in the 16-17 age group (54%) with about 30,000 visiting a clinic.
- The peak age group for clinic attendance was 16-19, based on the rate per 100 population, an estimated 20% of women in this age group visited a clinic during the year. The equivalent figure for 15 year olds and under is 8%.
- Oral contraception remains the most popular form of contraception among women, accounting for 46% of female contraceptive use. However this has fallen over the last 10 years from 48%.
- Long Acting Reversible Contraceptives (LARCs) accounted for 21% of primary methods of contraception. LARCs include: IUD, injectable contraception, implants and IUS.
- Emergency contraception was issued by clinics on just under 160,000 occasions, a fall of 11,000 (7%) compared to 2005-06. This is a fall of 21% compared with 2001-02 figures, when emergency hormonal contraception (EHC) became available over the counter in pharmacies. Data are not collected on OTC sales.



## CONTENTS

Introduction	1
Analysis and Commentary	1
Women attending Community Contraceptive Clinics	2
Primary methods of contraception	2
Emergency contraception	3
Sterilisations & vasectomies	3
Clinic sessions for young people aged under 25	3
Contacts in clinics and domiciliary visits	4
Prescriptions for contraceptives dispensed in the community	4
Provider level data	4
Definitions	4
Editorial Notes	5
Index to Tables	
Tables	
KT31 Forms & Guidance	



## INTRODUCTION

It is estimated that about 4 million people use NHS contraception services each year. Roughly three-quarters see a GP and the remainder attend specialist community contraception services (family planning clinics and clinics run by voluntary organisations such as Brook).

This bulletin contains information on NHS community contraception services which has been collected since 1988-89 on KT31 return. The coverage of the KT31 return includes services provided by:

- Trusts in NHS clinics and as domiciliary visits
- Brook services.

It does **not** include services provided by consultants in out-patient clinics or those provided by General Practitioners. However limited data are presented in this publication on out-patient clinics from The Information Centre's Hospital Episode Statistics (HES) and prescription data from the Prescribing Support Unit (PSU).

"Contraception and Sexual Health 2006/07", is published by the Office for National Statistics (ONS) on behalf of The Information Centre. This is a sample survey of women aged 16 to 49 and men aged 16 to 69, in Great Britain, and gives an overview of all contraception used irrespective of whether it is provided by the NHS or not. It also asks about sexual behaviour and knowledge of sexually transmitted infections.

Detailed results from this survey are available from the ONS web site:

<http://www.statistics.gov.uk/StatBase/Product.asp?vlnk=6988>

## ANALYSIS AND COMMENTARY

### Overview (Table 1)

The ONS survey data show that in 2005/06, 56% of women aged 16-49 reported using a non-surgical method of contraception and that about 9% of

women in that age group had been sterilised. NHS hospital data show that about 52,000 women were sterilised in England in 1995 but this figure has fallen nearly every year since then to 18,000 in 2005, the latest year that these data are available.

In 2006-07, community contraceptive clinics in England recorded around 2.5 million attendances, made by 1.1 million different women and 117,000 different men. Total attendances in community contraceptive clinics have fallen by 4% from last year.

ONS survey data show that in 2006 about 27% of women aged 16-49, an estimated 3.7 million women in Great Britain (3.2 million in England) were using contraceptive pills. About 0.4 million of the women attending community contraception clinics in 2006-07 were recorded as using the pill, most of the remainder would be prescribed the pill by their GP.

ONS survey data estimates about 22% of women aged 16-49 in Great Britain, an estimated 3.0 million women, reported using the male condom. About a quarter of a million of the women attending community contraception clinics in 2006-07 were recorded as using the male condom, with the remainder (or their partners) having obtained the male condom from private sector sources. About 95,000 men were recorded in 2006-07 as obtaining the male condom from community contraception clinics.

Emergency (post-coital) contraceptive pills (EHC: Emergency Hormonal Contraception) were dispensed on prescription on about 0.5 million occasions in 2006-07. About two thirds were prescribed by GPs and a third at community contraception clinics.

Since 1 January 2001, women aged 16 and over have been able to purchase EHC in a pharmacy without a prescription but these data are not collected centrally. In addition, nurses and pharmacists can supply EHC to women of all ages under a


Patient Group Direction (PGD). PGDs are documents which make it legal for medicines to be provided to groups of patients without individual prescriptions having to be written for each patient. Data on supply by PGD are not collected centrally.

## WOMEN ATTENDING COMMUNITY CONTRACEPTIVE CLINICS (Figure 1 & Table 2)

Annually around 1.1 million women attended community contraception clinics, a figure which has remained constant over the past ten years. In 2006-07 about 11% of the female population aged 15-44 attended a community contraception clinic; this percentage varied considerably by age group; more detail is given table 2.


The proportion of the female resident population aged 15 and under, who attended community contraception clinics increased steadily from around 7% in 1995-96 to 8.5% 2006-07. There were about 50,000 females aged 15 attending nationwide, and a further 31,000 females aged under 15 (15% of 15 year olds and about 5% of 13-14 year olds respectively).

Over the past ten years the highest proportion of the female population attending community contraception clinics were those aged 16-19, with proportions decreasing with age. See Figure 1.



## PRIMARY METHODS OF CONTRACEPTION (Figures 2, & 3 & Tables 3, 3a & 4)

The majority of persons attending community contraceptive clinics do so for contraceptive advice and the primary method of contraception chosen or already in use is recorded. About 16% of persons attending NHS community contraceptive clinics are seeking advice on other matters e.g. cervical screening.



## Main user dependant methods of contraception (e.g. pill, condom)

In 2006-07, user dependant methods of contraception were most common with the younger age groups (89% of women aged under 16) falling to 66% of those aged 35 and over. Overall, the condom proved the most popular method of primary contraception amongst the youngest age groups, with oral contraception taking over as the most popular method for the 16-34 year olds.


- Oral contraception (the pill)**  
 The pill is the most consistently popular method of contraception chosen by people attending community contraception clinics. This was the primary method chosen by almost half of women (see Figure 2). In 2006-07, it was the most common method of contraception for those aged 20-24 (55%) and least common with those 35 and over (31%).
- The condom**  
 The second most popular primary method of contraception amongst

women was the male condom with over a quarter choosing this method. In 2006-07, the condom was used more widely amongst the youngest age groups (51% of women under 16 and 32% of those aged 16-19).

### Long Acting Reversible Contraceptives (LARCs):

The use of LARCs as a primary method of contraception amongst women has been slowly increasing over the last few years and now account for just over a fifth of all methods chosen. LARCs are comprised of Intra-uterine devices - IUD (6% of all primary methods of contraception), intra-uterine system - IUS (3%), Injectibles (8%) and Implants (4%).

The percentage of those choosing LARCs as a primary method of contraception increases with age, (6% of those under 16 compared to 34% of those 35 and over). See Figure 3.



### EMERGENCY CONTRACEPTION (Post-coital), (Tables 5 & 6)

The number of occasions on which emergency contraceptives were prescribed by NHS community contraception clinics and Brook services rose from about 196,000 in 1996-97 to 240,000 in 1999-2000. This fell back to about 158,000 in 2006-07 following the reclassification in 2001 of EHC, making it available for women aged 16 and over to buy at pharmacies. The vast majority of emergency contraception issued at clinics was for the hormonal (pill) method.

### MEN & VASECTOMIES (Table 1, 7 & 10)

The number of men attending clinics accounts for only a small proportion of the total attendances but this number has risen from about 79,000 in 1996-97 to about 117,000 in 2006-07.

Vasectomies may be performed as operations requiring a hospital stay or as procedures in out-patient clinics. Data from HES and from the KT31 return suggest that 46,000 vasectomies were performed in 1996 and this has declined steadily each year, falling to around 28,500 in 2006-7. Most vasectomies are performed as day cases (i.e. in hospital and using a bed, but not requiring an overnight stay) but about a quarter are reported as occurring in community contraception, or other out-patient, clinics.

### STERILISATIONS (Tables 1 and 11)

Female sterilisation is an operation which necessitates a stay in hospital. Data from the HES system show that the number of sterilisations performed in NHS hospitals have fallen from about 49,000 in 1996 to 18,000 in 2004-05.

A small number of NHS funded operations to reverse female sterilisation are performed each year. There were an estimated 360 cases in 2005-06.

### CLINIC SESSIONS FOR YOUNG PEOPLE AGED UNDER 25 (Table 8)

Information about clinic sessions held by NHS community contraception clinics for young persons has been collected since 1994-95. The number of sessions held has more than doubled from about 19,000 in 1996-97 to 40,000 in 2006-07, along with the number of young persons attending which has risen from 234,000 in 1996-97 to almost 474,000 in 2006-07.

## CONTACTS IN CLINICS AND DOMICILIARY VISITS (Table 9)

In each year the total number of contacts with clinic services is generally twice the number of recorded clients.

Although the vast majority of contacts with community contraceptive clinics take place in clinics, a small number of domiciliary visits are made each year. Domiciliary visits accounted for 1.0% of all contacts in 1996-97 but the proportion has since fallen to 0.5% in 2006-07.

## PRESCRIPTIONS FOR CONTRACEPTIVES DISPENSED IN THE COMMUNITY (Table 11)

Prescriptions for LARCs have increased from 0.6 million in 1996 to 1.2 million in 2006. At the same time user dependant methods have fallen from 8.2 million to 7.6 million over the same period.

## SELECTED INFORMATION ON COMMUNITY CONTRACEPTION CLINIC SERVICES BY STRATEGIC HEALTH AUTHORITY AREA (Table 12)

Regional variations show London with the highest rates (per 100 resident population) of first contacts, for women, with community contraceptive clinics overall (all ages) and the East of England had the lowest overall rates of first contacts.

Nationally, 75% of women's primary method of contraception was one of the user dependant methods (and 21% for LARCs). Regionally this varies from 69% (North East) to 79% (East of England & London) for user dependant methods, and from 27% (South West) to 17% (East of England) for LARCs.

## PROVIDER LEVEL DATA (Tables 13 and 14)

Selected information about NHS community contraception clinic services for each provider is shown in Tables 13 and 14.

Some organisations return their data through a nominated organisation.

Organisations shown in Tables 13 and 14 are not necessarily the only organisations providing NHS community contraceptive services, refer to Annex A for a list who contribute to the overall figures but are not listed in the tables.

## DEFINITIONS

A **contact** is defined in the KT31 as "...a client is seen by **professional staff** for counselling or in order to be prescribed contraceptives...". Modernisation of services and the multidisciplinary team approach means this professional contact may include a nurse working under a Patient Group Direction (PGD) to supply and administer contraceptives and provide advice, with health advisers, youth workers, and reception staff.

A **first contact** is the first time a client is seen in the financial year by the NHS community contraception service. Subsequent contacts with the same service provider are not recorded, so that each client is only recorded once in any year. The count of first contacts is broadly the number of different persons seen in the course of the year. A person attending for a number of years will be counted as a first contact in each of those years.

A limiting factor of KT31 is the recording of the first method of contraception being aligned to the first contact of a patient in any one year. This does not therefore indicate when a patient changes their contraceptive method throughout the year. Furthermore, for contraceptive methods requiring onward referral for procedure elsewhere, such as vasectomy and sterilisation, it does not record if the actual procedure was carried out.

The **primary method** of contraception for new clients is that chosen after counselling; for existing clients it is the main method in use unless a change is advised. Where vasectomy or female sterilisation is the method chosen after counselling, any interim methods used while waiting for an operation are not recorded.

Where a couple are seen together only one first contact is recorded; where either vasectomy or the male condom is the main method chosen, the first contact is recorded as one with a man, otherwise one with a woman.

## LARCs

Long Acting Reversible Contraceptives, are non-user-dependant methods of contraception (Intra-Uterine Devices, Intra-Uterine Systems, Injectable Contraceptives and implants) and as such are not reliant on daily user adherence.

## Domiciliary visits

NHS Community Contraception Services have traditionally provided domiciliary services to immobile individuals such as those with physical or learning difficulties. 'Domiciliary Visits' may now also include outreach services for vulnerable groups such as teenage mothers, youth offenders, sex workers, the homeless and drug users who may find difficulties accessing clinical settings.

## EDITORIAL NOTES

In the tables:

- .. = Not available
- = Not applicable

Some of the data for 2005-06 have been revised in this bulletin and the tables are marked accordingly. If any further revised data are required for the 2005-06 Statistical Bulletin, that are not published here, contact the IC – details in the next section.

Where a provider is unable to submit a return, data from the latest available are used. Where parts of a return are missing, the corresponding parts from the latest available year are used, scaled as appropriate.

## FURTHER INFORMATION

The Information Centre Contact Centre  
1 Trevelyan Square  
Boar Lane  
Leeds  
LS1 6AE  
Telephone: 0845 300 6016  
Email: [enquiries@ic.nhs.uk](mailto:enquiries@ic.nhs.uk)

**Press enquiries** should be made to the media relations manager  
Telephone: 0845 300 6016

Email: [media@ic.nhs.uk](mailto:media@ic.nhs.uk)

This bulletin, and those for the two previous years, can be found on the Information centre website:

<http://www.ic.nhs.uk/statistics-and-data-collections/health-and-lifestyles/contraception>

Since 2004-05 this bulletin has been produced by The Information Centre.

Prior to 2004-05 bulletins can be found on the Department of Health's website, [www.dh.gov.uk](http://www.dh.gov.uk) by clicking on the following links.

- >Publications and statistics
- >Statistics (from shortcuts menu)
- >Statistical Work Areas
- >Health Care
- >Community Care

Detailed results from the ONS survey on Contraception and Sexual Health, carried out on behalf of the Information Centre, are available from the ONS web site:

<http://www.statistics.gov.uk/StatBase/Product.asp?vlnk=6988>

29<sup>th</sup> October 2007

## INDEX TO TABLES

Table Number	Description
1	Summary statistics on contraception 1996-2006
2	First contacts at community contraception clinics by gender and age 1996-97 to 2006-07
3	First contacts with women and men at community contraception clinics by primary method of contraception 1996-97 to 2006-07
3a	First contacts with women at community contraception clinics by primary method of contraception 2003-04 to 2006-07
4	First contacts with women at community contraceptive clinics by primary method of contraception and age 2006-07
5	Occasions on which emergency contraceptives were dispensed at community contraceptive clinics by type 1996-97 to 2006-07
6	Occasions on which emergency contraceptives were dispensed at community contraceptive clinics by type and age 2006-07
7	First contacts with men at community contraception clinics 1996-97 to 2006-07
8	Clinic sessions for people aged under 25 1996-97 to 2006-07
9	Total contacts at community contraception clinics, first contacts and domiciliary visits 1996-97 to 2006-07
10	All operations count of episodes for sterilisations and vasectomies by age 2006-07
11	Contraceptive items dispensed in the community 1996-2006
12	Selected information on community contraceptive clinic services by Strategic Health Authority area 2006-07
13	Contacts by provider 2006-07
14	Contacts with women by provider, by age group and by method of contraception 2006-07

Table 1 Summary statistics on contraception 1996 to 2006.

	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005 <sup>n</sup>	2006
<b>Survey data<sup>1</sup> : women aged 16-49 (percentages)</b>											
using contraceptive pill	..	26	26	26	25	28	25	25	25	24	27
using male condoms	..	21	21	23	21	21	20	23	22	21	22
using at least one non-surgical method of contraception	..	52	50	54	51	53	51	52	53	53	56
sterilised	..	11	12	12	11	10	11	11	10	10	9
using emergency contraception at least once in the last year	..	..	..	..	8	7	7	6	7	5	6
<b>Community Contraceptive Clinic data<sup>2</sup> (millions)</b>											
attendances (millions)	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.5
women attenders (millions)	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.1
women attenders using contraceptive pill (millions)	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
women attenders using male condom (millions)	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2
<b>Community Contraceptive Clinic data<sup>2</sup> (thousands)</b>											
women attenders aged under 16 (thousands)	66	66	65	69	74	80	85	91	82	80	80
male attenders (thousands)	79	79	81	84	85	92	93	104	99	97	117
<b>Oral contraceptive prescription items dispensed in the community<sup>3</sup> (millions)</b>											
prescriptions	7.5	7.1	7.0	7.1	7.1	7.1	7.1	7.1	7.1	7.2	7.3
estimated number of women	2.6	2.5	2.5	2.5	2.5	2.5	2.5	2.5	..	..	..
<b>Emergency contraception<sup>4</sup> (millions)</b>											
dispensed in the community	0.57	0.55	0.56	0.54	0.55	0.43	0.39	0.37	0.34	0.32	0.30
dispensed at clinics	0.20	0.21	0.22	0.24	0.23	0.20	0.19	0.19	0.18	0.17	0.16
<b>Sterilisation and vasectomy<sup>5</sup> (thousands)</b>											
female sterilisations	49.0	41.3	48.2	41.7	36.1	29.3	28.0	24.6	20.1	18.4	..
reversals of sterilisation	1.0	0.7	0.7	0.5	0.5	0.4	0.5	0.4	0.4	0.3	..
vasectomies - total	46.2	40.8	46.1	42.4	41.8	37.7	37.9	35.5	30.4	28.5	..
- hospital in-patients	1.3	1.6	1.1	0.9	1.0	0.8	0.8	0.8	0.6	0.6	..
- hospital day cases	34.7	29.5	34.5	31.5	31.0	27.4	28.2	25.4	21.5	19.7	..
- outpatients and community clinics	10.2	9.7	10.4	10.0	9.7	9.6	8.8	8.9	8.2	8.2	9.2
reversals of vasectomy	1.4	1.0	1.0	0.7	0.8	0.7	0.6	0.7	0.5	0.4	..

1. Source: 1996 - General Household Survey (ONS); 1997 to 2004 - Omnibus Survey (ONS) ; all figures are for Great Britain

2. Source: The Information Centre KT31 return (data are for 12 months commencing 1 April).

3. Source: IC-PRES Prescription cost analysis.

4. Source: Community - prescription based data. Clinics - KT31 data.

5. Source: Vasectomies at outpatient and community clinics: from KT31 ; all other data from Hospital Episode Statistics, grossed for both coverage and unknown / invalid clinical data except 2001 and 2003 which are ungrossed. A further 5,000 sterilisations and 800 vasectomies, not included in the above table, were performed as a secondary operation (see table 10). 2005-06 data is the latest available.

R. 2005-06 Community contraceptive clinic data has been revised.

© 2007 Data prior to 2004 re-used with the permission of The Department of Health.

© 2007 The Information Centre. All right reserved.

**Table 2 First contacts at community contraceptive clinics by gender and age 1996-97 to 2006-07**

England

Year	All ages <sup>1</sup>	Under 16		Total	16-19		20-24	25-34	35 & over	
		Under 15	15		16-17	18-19				
<i>Females: number (thousands)</i>										
1996-97	1,191	23	43	66	..	..	242	263	371	250
1997-98	1,193	24	42	66	..	..	257	257	360	253
1998-99	1,172	23	42	65	..	..	260	259	345	244
1999-2000	1,187	25	44	69	..	..	273	268	336	242
2000-01	1,189	28	46	74	..	..	270	272	330	243
2001-02	1,196	32	48	80	..	..	264	279	321	252
2002-03	1,182	33	51	85	..	..	267	274	310	247
2003-04	1,186	36	54	91	142	132	274	272	304	246
2004-05	1,162	32	50	82	138	129	267	266	297	250
2005-06 <sup>R</sup>	1,152	32	49	80	135	120	255	248	308	261
2006-07	1,132	31	50	80	141	123	264	242	300	247
<i>Females: rate per 100 resident population<sup>2</sup></i>										
1996-97	11.7	3.9	14.4	7.5	..	..	21.6	17.0	9.6	7.5
1997-98	11.7	4.1	14.5	7.6	..	..	22.3	17.4	9.4	7.4
1998-99	11.5	3.9	14.3	7.3	..	..	22.0	18.0	9.1	7.0
1999-2000	11.6	4.1	14.9	7.6	..	..	23.1	18.7	9.0	6.8
2000-01	11.6	4.6	15.2	8.1	..	..	23.2	18.7	9.0	6.6
2001-02	11.6	5.0	15.8	8.6	..	..	22.4	18.7	8.9	6.8
2002-03	11.4	5.3	16.5	9.0	..	..	22.1	18.1	8.8	6.5
2003-04	11.4	5.8	17.1	9.6	22.9	21.5	22.2	17.6	8.9	6.4
2004-05	11.2	5.0	15.8	8.6	21.7	20.4	21.1	16.9	8.8	6.4
2005-06 <sup>R</sup>	10.3	4.9	15.2	8.3	20.9	18.7	19.8	15.4	9.1	6.7
2006-07	10.1	4.9	15.4	8.5	22.0	18.9	20.4	14.7	8.9	6.3
<i>Males: number (thousands)</i>										
1996-97	79	..	..	..	..	..	..	..	..	..
1997-98	79	..	..	..	..	..	..	..	..	..
1998-99	81	..	..	..	..	..	..	..	..	..
1999-2000	84	..	..	..	..	..	..	..	..	..
2000-01	85	..	..	..	..	..	..	..	..	..
2001-02	92	..	..	..	..	..	..	..	..	..
2002-03	93	..	..	..	..	..	..	..	..	..
2003-04	104	13	11	24	18	12	30	14	15	21
2004-05	99	11	9	20	19	12	31	14	14	20
2005-06 <sup>R</sup>	97	10	9	19	20	12	32	14	13	19
2006-07	117	11	10	21	30	15	46	16	14	21
<i>Males: rate per 100 resident population<sup>2</sup></i>										
2003-04	1.0	2.1	3.2	2.4	2.7	1.9	2.3	0.9	0.5	0.6
2004-05	0.9	1.6	2.7	2.0	2.8	1.8	2.3	0.9	0.4	0.5
2005-06 <sup>R</sup>	0.9	1.5	2.7	1.9	2.9	1.8	2.4	0.8	0.4	0.5
2006-07	1.0	1.6	3.0	2.1	4.4	2.2	3.3	0.9	0.4	0.5

Source: The Information Centre KT31 return

Notes:

1. All ages: first contacts with females/males aged 13-44. Under 15, first contacts with females/males aged 13-14. Under 16, first contacts with females/males aged 13-15. 35 and over, first contacts with females/males aged 35-44.

2. Rates per 100 resident population for 1995-96 to 2005-06 calculated using population estimates for mid-1995 to mid-2005 for each equivalent gender and age group.

R. 2005-06 data has been revised.

© 2007 Data prior to 2004-05 re-used with the permission of The Department of Health.

© 2007 The Information Centre. All rights reserved.

**Table 3 First contacts with women and men at community contraceptive clinics by primary method of contraception 1996-97 to 2006-07**

England

	First contacts all methods <sup>1</sup> (thousands =100%)	Primary method (%)						
		Oral contraceptives	Male condom	IU Devices/ IU System	Cap/ Diaphragm	Injectable contraceptives	Implants	Other methods <sup>2</sup>
1996-97	1,012	45	36	6	3	5	..	6
1997-98	996	44	36	6	2	5	..	6
1998-99	986	42	37	6	2	6	..	7
1999-2000	1,002	43	36	7	2	6	..	7
2000-01	997	42	35	7	1	7	..	7
2001-02	993	42	35	7	1	8	..	7
2002-03	981	42	34	7	1	8	..	8
2003-04	987	41	35	7	1	8	1	7
2004-05	944	41	34	7	1	9	2	6
2005-06 <sup>R</sup>	920	42	33	7	1	8	3	5
2006-07	922	41	35	8	1	7	4	5

Source: The Information Centre KT31 return

Notes:

1. Excluding contacts recorded as 'no method provided' or 'contacts for reasons other than contraception'.
2. Including vasectomies. Figures prior to 2003-04 includes implants.

R. 2005-06 data has been revised.

© 2007 Data prior to 2004-05 re-used with the permission of The Department of Health.

© 2007 The Information Centre. All rights reserved.

**Table 3a First contacts with women at community contraceptive clinics by primary method of contraception 2003-04 to 2006-07**

England

	2003-04	2004-05	2005-06 <sup>R</sup>	2006-07
<b>All methods (thousands)</b>	<b>899.8</b>	<b>856.2</b>	<b>835.0</b>	<b>821.6</b>
<b>LARCs total<sup>1</sup></b>	<b>164.6</b>	<b>165.2</b>	<b>167.2</b>	<b>173.4</b>
IU Devices	58.8	50.1	49.0	47.0
IU System	10.2	15.2	19.6	24.0
Injectable contraceptive	83.2	83.3	73.2	66.7
Implant	12.4	16.6	25.5	35.7
<b>User dependant methods total</b>	<b>674.5</b>	<b>635.5</b>	<b>628.2</b>	<b>613.3</b>
Oral contraceptives	407.0	388.3	390.5	379.3
Male condom	266.0	245.1	230.0	226.6
Female condom	1.3	1.2	2.0	1.5
Contraceptive patch	0.2	1.0	5.7	5.9
<b>Natural family planning</b>	<b>0.4</b>	<b>0.5</b>	<b>0.6</b>	<b>1.6</b>
<b>Sterilisation</b>	<b>0.9</b>	<b>0.9</b>	<b>0.6</b>	<b>0.6</b>
<b>Other methods</b>	<b>59.4</b>	<b>54.1</b>	<b>38.4</b>	<b>32.7</b>
<b>All methods (percentages)</b>	<b>100%</b>	<b>100%</b>	<b>100%</b>	<b>100%</b>
<b>LARCs total<sup>1</sup></b>	<b>18%</b>	<b>19%</b>	<b>20%</b>	<b>21%</b>
IU Devices	7%	6%	6%	6%
IU System	1%	2%	2%	3%
Injectable contraceptive	9%	10%	9%	8%
Implant	1%	2%	3%	4%
<b>User dependant methods total</b>	<b>75%</b>	<b>74%</b>	<b>75%</b>	<b>75%</b>
Oral contraceptives	45%	45%	47%	46%
Male condom	30%	29%	28%	28%
Female condom	0%	0%	0%	0%
Contraceptive patch	0%	0%	1%	1%
<b>Natural family planning</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>
<b>Sterilisation</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>
<b>Other methods</b>	<b>7%</b>	<b>6%</b>	<b>5%</b>	<b>4%</b>

Source: The Information Centre KT31 return

1. LARCs - Long Acting Reversible Contraceptives

R. 2005-06 data has been revised.

© 2007 Data prior to 2004-05 re-used with the permission of The Department of Health.

© 2007 The Information Centre. All rights reserved.

**Table 4 First contacts with women at community contraceptive clinics by primary method of contraception and age 2006-07**

England								
	All ages	Under 15	15	16-17	18-19	20-24	25-34	35 and over
<b>Number of first contacts (thousands)</b>								
All methods	<b>821.6</b>	<b>22.7</b>	<b>38.9</b>	<b>109.1</b>	<b>94.1</b>	<b>183.1</b>	<b>219.6</b>	<b>154.0</b>
<b>LARCs total</b>	<b>173.4</b>	<b>1.0</b>	<b>2.4</b>	<b>10.6</b>	<b>13.8</b>	<b>35.7</b>	<b>56.8</b>	<b>53.1</b>
IU Devices	47.0	0.1	0.1	0.5	1.0	5.8	18.4	21.2
IU System	24.0	0.0	0.0	0.2	0.4	1.9	6.9	14.6
Injectable contraceptive	66.7	0.5	1.4	6.3	8.0	18.1	20.5	12.0
Implant	35.7	0.4	1.0	3.7	4.4	9.9	11.0	5.3
<b>User dependant methods total</b>	<b>613.3</b>	<b>20.5</b>	<b>34.4</b>	<b>93.2</b>	<b>76.2</b>	<b>141.0</b>	<b>155.4</b>	<b>92.5</b>
Oral contraceptives	379.3	6.8	16.1	53.4	50.3	101.1	103.3	48.3
Male condom	226.6	13.6	18.0	39.1	25.1	38.3	49.9	42.6
Female condom	1.5	0.0	0.1	0.2	0.2	0.3	0.4	0.4
Contraceptive patch	5.9	0.0	0.1	0.5	0.6	1.4	1.9	1.3
<b>Natural family planning</b>	<b>1.6</b>	<b>0.1</b>	<b>0.1</b>	<b>0.2</b>	<b>0.2</b>	<b>0.4</b>	<b>0.4</b>	<b>0.3</b>
<b>Sterilisation</b>	<b>0.6</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.2</b>	<b>0.4</b>
<b>Other methods</b>	<b>32.7</b>	<b>1.2</b>	<b>2.1</b>	<b>5.1</b>	<b>3.8</b>	<b>5.9</b>	<b>6.8</b>	<b>7.7</b>
<b>Primary method of contraception (percentages)</b>								
All methods	<b>100%</b>	<b>100%</b>	<b>100%</b>	<b>100%</b>	<b>100%</b>	<b>100%</b>	<b>100%</b>	<b>100%</b>
<b>LARCs total</b>	<b>21%</b>	<b>4%</b>	<b>6%</b>	<b>10%</b>	<b>15%</b>	<b>20%</b>	<b>26%</b>	<b>34%</b>
IU Devices	6%	0%	0%	0%	1%	3%	8%	14%
IU System	3%	0%	0%	0%	0%	1%	3%	9%
Injectable contraceptive	8%	2%	4%	6%	8%	10%	9%	8%
Implant	4%	2%	2%	3%	5%	5%	5%	3%
<b>User dependant methods total</b>	<b>75%</b>	<b>90%</b>	<b>88%</b>	<b>85%</b>	<b>81%</b>	<b>77%</b>	<b>71%</b>	<b>60%</b>
Oral contraceptives	46%	30%	41%	49%	53%	55%	47%	31%
Male condom	28%	60%	46%	36%	27%	21%	23%	28%
Female condom	0%	0%	0%	0%	0%	0%	0%	0%
Contraceptive patch	1%	0%	0%	0%	1%	1%	1%	1%
<b>Natural family planning</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>
<b>Sterilisation</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>
<b>Other methods</b>	<b>4%</b>	<b>5%</b>	<b>5%</b>	<b>5%</b>	<b>4%</b>	<b>3%</b>	<b>3%</b>	<b>5%</b>

Source: The Information Centre KT31 return

© 2007 The Information Centre. All rights reserved.

**Table 5 Occasions on which emergency contraceptives were dispensed at community contraception clinics by type 1996-97 to 2006-07**

England					thousands
Year	Total Occasions	All ages		<i>of which</i>	
		Hormonal	IU Device	Under 16	
1996-97	196.5	191.8	4.7	22.1	
1997-98	209.8	205.1	4.6	22.7	
1998-99	217.1	211.1	6.0	21.9	
1999-2000	236.4	230.9	5.5	23.1	
2000-01	234.9	229.7	5.2	25.6	
2001-02	198.5	193.4	5.1	26.0	
2002-03	191.6	187.0	4.6	27.0	
2003-04	187.4	183.2	4.2	26.9	
2004-05	178.5	174.1	4.5	24.5	
2005-06 <sup>R</sup>	169.3	164.5	4.8	22.1	
2006-07	158.1	153.1	5.0	21.4	

Source: The Information Centre KT31 return

R. 2005-06 data has been revised.

© 2007 Data prior to 2004-05 re-used with the permission of The Department of Health.

© 2007 The Information Centre. All rights reserved.

**Table 6 Occasions on which emergency contraceptives dispensed at community contraception clinics by type and age 2006-07**

England		thousands		
	Total	Hormonal	IU Device	
<b>All ages</b>	<b>158.1</b>	<b>153.1</b>	<b>5.0</b>	
Under 15	7.1	7.1	0.0	
15	14.3	14.2	0.1	
16-17	37.7	37.4	0.3	
18-19	27.6	27.2	0.3	
20-24	37.0	36.0	1.0	
25-34	24.2	22.4	1.9	
35 and over	10.3	8.7	1.5	

Source: The Information Centre KT31 return

Copyright © 2007 The Information Centre. All rights reserved.

**Table 7 First contacts with men at community contraceptive clinics 1996-97 to 2006-07**

England

	Male condom chosen as main method		Vasectomy chosen as main method	
	Number of first contacts (thousands)	Numbers (thousands)	Number (thousands)	Percentage of first contacts
1996-97	78.6	60.2	10.6	13
1997-98	79.3	63.0	10.7	14
1998-99	81.3	64.8	10.8	13
1999-2000	83.7	66.5	10.6	13
2000-01	84.7	68.9	9.8	12
2001-02	92.3	74.9	8.5	9
2002-03	93.1	76.6	8.4	9
2003-04	104.3	86.3	8.2	8
2004-05	98.8	80.1	8.2	7
2005-06 <sup>R</sup>	97.3	77.2	6.4	7
2006-07	116.9	95.1	4.6	4

Source: The Information Centre KT31 return

R. 2005-06 data has been revised.

© 2007 Data prior to 2004-05 re-used with the permission of The Department of Health.

© 2007 The Information Centre. All rights reserved.

**Table 8 Clinic sessions for people aged under 25 1996-97 to 2006-07**

England		thousands
	Number of clinic sessions	Total contacts in young persons clinics
1996-97	19.1	234.3
1997-98	21.1	260.2
1998-99	22.6	284.3
1999-2000	24.9	319.0
2000-01	27.3	339.6
2001-02	31.0	365.5
2002-03	32.6	394.9
2003-04	33.4	422.0
2004-05	33.9	421.7
2005-06 <sup>R</sup>	37.0	481.9
2006-07	40.5	473.5

Source: The Information Centre KT31 return

Note : these data relate only to NHS Community contraception clinics and do not include Brook Advisory Centres

R. 2005-06 data has been revised.

© 2007 Data prior to 2004-05 re-used with the permission of The Department of Health.

© 2007 The Information Centre. All rights reserved.

**Table 9 Total contacts at community contraception clinics, first contacts and domiciliary visits 1996-97 to 2006-07**

	Clinic contacts			Domiciliary visits	
	Total number of contacts (thousands)	Number of first contacts (thousands)	Estimated average number of contacts per client per year	Number (thousands)	as a percentage of total contacts
1996-97	2,608	1,269	2.1	27	1.0
1997-98	2,580	1,272	2.0	23	0.9
1998-99	2,563	1,254	2.0	19	0.7
1999-2000	2,571	1,271	2.0	16	0.6
2000-01	2,596	1,274	2.0	14	0.5
2001-02	2,585	1,288	2.0	12	0.5
2002-03	2,594	1,276	2.0	9	0.4
2003-04	2,632	1,291	2.0	9	0.3
2004-05	2,564	1,261	2.0	9	0.3
2005-06 <sup>R</sup>	2,562	1,249	2.1	9	0.4
2006-07	2,476	1,249	2.0	12	0.5

Source: The Information Centre KT31 return

R. 2005-06 data has been revised.

© 2007 Data prior to 2004-05 re-used with the permission of The Department of Health.

© 2007 The Information Centre. All rights reserved.

**Table 10 All operations count of episodes for sterilisations and vasectomies by age 2005-06**

England	thousands			
	Sterilisations		Vasectomies	
	Numbers (thousands)	<i>percentage</i> <sup>1</sup>	Numbers (thousands)	<i>percentage</i> <sup>1</sup>
All ages	23.7	100%	30.2	100%
under 20	0.0	0.1%	0.0	0.1%
20-24	0.5	2.0%	0.1	0.4%
25-29	3.0	12.9%	0.9	4.5%
30-34	6.4	27.3%	4.1	20.1%
35-39	8.1	34.6%	7.0	34.2%
40-44	4.6	19.6%	5.3	26.1%
45-49	0.8	3.3%	2.1	10.4%
50 and over	0.1	0.2%	0.9	4.3%
Age not known	0.42		9.7 <sup>2</sup>	

Source: The Information Centre Hospital Episodes Statistics, KT31 returns

Notes:

1. Percentages based on cases with known age.
2. Includes all vasectomies at outpatient and community clinics, for which age is not recorded. 2005-06 data is the latest available.

© 2007 The Information Centre. All rights reserved.

**Table 11 Contraceptive prescription items dispensed in the community 1996 to 2006<sup>1</sup>**

England	thousands										
	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
<b>LARCs total<sup>2</sup></b>	<b>655</b>	<b>702</b>	<b>793</b>	<b>887</b>	<b>985</b>	<b>1,083</b>	<b>1,101</b>	<b>1,159</b>	<b>1,225</b>	<b>1,195</b>	<b>1,163</b>
IU devices	87	79	76	72	62	56	49	46	43	43	84
IU system	19	23	32	38	44	52	56	62	67	76	41
Injectable contraceptive	548	599	684	776	874	968	988	1,038	1,099	1,052	1,000
Implant	1	1	1	1	5	7	8	13	16	23	38
<b>User dependant methods</b>	<b>8,209</b>	<b>7,768</b>	<b>7,657</b>	<b>7,706</b>	<b>7,771</b>	<b>7,593</b>	<b>7,531</b>	<b>7,534</b>	<b>7,517</b>	<b>7,536</b>	<b>7,577</b>
Oral contraceptives - total	7,485	7,094	6,995	7,081	7,141	7,102	7,085	7,118	7,139	7,189	7,254
<i>combined preparation</i>	6,696	6,301	6,175	6,209	6,238	6,165	6,093	6,067	6,028	5,953	5,876
<i>progestogen-only</i>	788	793	819	872	903	937	993	1,052	1,111	1,236	1,378
Fertility thermometer	2	2	1	1	1	1	1	0	0	0	0
Emergency hormonal contraception	566	553	560	537	555	428	386	373	342	315	299
Diaphragm	49	35	31	27	23	19	16	13	11	11	7
Spermicides	107	84	70	60	51	43	43	30	25	20	17

Source: IC-PRES Prescription cost analysis.

Notes:

1. The data cover all prescriptions dispensed in the community, i.e. by community pharmacists and appliance contractors, dispensing doctors, and prescriptions submitted by prescribing doctors for items personally administered in England.

Almost all these prescriptions are written by General Medical Practitioners in England. However also included are those prescriptions originating from community and practice nurses, hospital doctors, dentists and up to March 1994, armed services doctors and dentists, provided they were dispensed in the community. Also included are prescriptions written in Wales, Scotland, Northern Ireland and the Isle of Man but dispensed in England. Prescriptions written in England but dispensed outside England are not included. The data do not cover items dispensed in hospital or private prescriptions.

2. LARCs - Long Acting Reversible Contraceptives

© 2007 Data prior to 2004 re-used with the permission of The Department of Health.

© 2007 The Information Centre. All rights reserved.

Table 12 Selected information on community contraceptive clinic services by Strategic Health Authority area 2006-07

	England	North East	North West	Yorks. & the Humber	East Midlands	West Midlands	East of England	London	South East Coast	South Central	South West
<b>First contacts with women (thousands)</b>											
All ages	1,132.4	64.5	187.9	122.4	69.4	107.6	82.8	291.9	63.3	67.1	75.4
<b>First contacts with women (rate per 100 population)</b>											
All ages	10.1	11.8	12.6	10.9	7.4	9.3	7.0	15.2	7.1	7.6	7.3
under 15	4.9	9.7	7.2	6.8	5.7	3.3	2.8	4.4	2.6	3.5	4.3
15	15.4	24.2	21.1	20.9	15.3	13.7	10.6	14.1	10.2	12.0	12.6
16-17	22.0	29.9	28.7	26.0	16.5	19.0	22.6	24.9	15.7	16.3	18.0
18-19	18.9	20.6	22.2	20.8	14.2	16.2	18.5	26.5	15.0	15.9	13.2
20-24	14.7	14.8	17.9	14.3	10.0	13.0	10.8	22.0	11.5	12.7	11.0
25-35	8.9	9.2	10.9	8.7	5.9	8.4	4.8	14.2	5.9	6.6	5.9
35 and over	6.3	7.0	7.3	6.4	4.4	6.2	3.4	11.9	4.5	3.9	4.0
<b>Primary method of contraception (percentages)</b>											
All methods (thousands=100%)	821.6	45.0	140.6	86.0	53.9	75.6	58.0	211.7	50.6	44.9	55.1
<b>LARCs total</b>	<b>21%</b>	<b>25%</b>	<b>23%</b>	<b>22%</b>	<b>24%</b>	<b>19%</b>	<b>17%</b>	<b>19%</b>	<b>20%</b>	<b>20%</b>	<b>27%</b>
IU Devices	6%	4%	6%	5%	7%	5%	3%	7%	6%	4%	6%
IU System	3%	3%	2%	2%	4%	2%	3%	2%	4%	3%	9%
Injectable contraceptive	8%	10%	11%	9%	8%	8%	7%	7%	6%	8%	5%
Implant	4%	8%	4%	5%	6%	4%	4%	3%	4%	5%	7%
<b>User dependant methods total</b>	<b>75%</b>	<b>69%</b>	<b>71%</b>	<b>74%</b>	<b>73%</b>	<b>74%</b>	<b>79%</b>	<b>79%</b>	<b>75%</b>	<b>78%</b>	<b>68%</b>
Oral contraceptives	46%	45%	46%	43%	43%	42%	51%	46%	55%	55%	43%
Male condom	28%	23%	25%	31%	30%	31%	28%	31%	20%	22%	25%
Female condom	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Contraceptive patch	1%	0%	0%	0%	0%	0%	0%	2%	0%	0%	0%
<b>Natural family planning</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>1%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>
<b>Sterilisation</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>
<b>Other methods</b>	<b>4%</b>	<b>5%</b>	<b>5%</b>	<b>3%</b>	<b>3%</b>	<b>7%</b>	<b>4%</b>	<b>2%</b>	<b>5%</b>	<b>3%</b>	<b>5%</b>
<b>First contacts with men (thousands)</b>											
All ages	116.9	6.3	19.8	10.9	9.5	13.7	13.9	21.4	5.9	6.9	8.6

Source: The Information Centre KT31 return

1. LARCs - Long Acting Reversible Contraceptives

© 2007 The Information Centre. All rights reserved.

Table 13 Contacts by provider 2006-07

thousands

		Clinic Attendances	Domiciliary Visits	No. of First Contacts - Female	Emergency Contraceptives Total	No. of First Contacts - Male
<b>England</b>		<b>2,464.1</b>	<b>11.5</b>	<b>1,132.4</b>	<b>158.1</b>	<b>116.9</b>
<b>North East Strategic Health Authority area</b>		<b>140.2</b>	<b>1.7</b>	<b>64.5</b>	<b>8.2</b>	<b>6.3</b>
City Hospitals Sunderland NHS Foundation Trust	RLN	12.9	-	6.3	0.7	0.5
County Durham PCT	5ND	20.5	1.4	10.6	0.5	0.9
Darlington PCT	5J9	1.9	-	1.0	0.9	0.0
Gateshead PCT	5KF	14.4	0.3	5.3	0.3	1.1
Hartlepool PCT *	5D9	3.7	-	2.2	0.1	0.0
Middlesbrough PCT	5KM	17.8	-	8.9	0.8	1.3
Newcastle PCT	5D7	20.3	-	9.0	1.5	0.9
North Tees PCT	5E1	11.4	-	5.9	0.8	0.3
North Tyneside PCT	5D8	12.8	-	5.7	0.8	0.3
Northumberland Care Trust	TAC	11.7	-	4.1	0.5	0.4
South Tyneside PCT	5KG	12.4	-	5.6	1.3	0.6
The Newcastle Upon Tyne Hospitals NHS Trust	RTD	0.1	-	-	-	0.1
<b>North West Strategic Health Authority area</b>		<b>468.7</b>	<b>1.8</b>	<b>187.9</b>	<b>34.5</b>	<b>19.8</b>
Ashton, Leigh and Wigan PCT	5HG	1.6	-	0.7	0.2	0.1
Blackburn with Darwen PCT	5CC	11.3	1.0	2.8	0.4	0.4
Blackpool PCT	5HP	8.0	-	4.2	0.3	0.1
Bolton PCT	5HQ	13.3	-	4.8	0.1	0.3
Bury PCT	5JX	6.5	-	2.4	0.5	0.3
Central & Eastern Cheshire PCT	5NP	21.1	0.0	10.4	0.7	0.6
Central Lancashire PCT	5NG	26.9	-	10.7	2.1	1.7
Cumbria PCT	5NE	15.3	0.1	6.8	0.6	0.6
East Lancashire PCT	5NH	8.7	-	2.8	0.2	0.2
Halton and St.Helens PCT	5NM	22.8	-	17.9	1.2	2.3
Heywood, Middleton & Rochdale PCT *	5NQ	3.2	-	0.9	0.0	0.0
Liverpool PCT	5NL	54.7	0.2	30.5	4.0	1.9
Manchester PCT	5NT	51.0	-	23.7	1.7	1.2
North Lancashire PCT	5NF	7.5	0.0	2.4	0.2	0.4
Oldham PCT	5J5	7.3	-	1.3	0.2	0.1
Salford PCT	5F5	8.2	-	4.1	0.2	0.3
Sefton PCT	5NJ	8.0	-	5.3	0.3	0.0
Southport and Ormskirk Hospital NHS Trust	RVY	-	-	-	0.1	-
Stockport PCT	5F7	15.2	-	6.3	2.3	0.1
Tameside and Glossop PCT	5LH	11.4	-	3.6	0.1	0.9
Trafford Healthcare NHS Trust *	RM4	11.0	0.5	5.3	0.2	0.1
Warrington PCT	5J2	12.9	-	3.0	1.0	0.6
West Cheshire PCT	5NN	9.4	-	2.3	0.2	0.1
Wirral PCT	5NK	23.2	-	10.9	2.8	1.1
Wrightington, Wigan & Leigh NHS Trust	RRF	15.2	-	8.2	0.3	0.4
Birkenhead Brook		10.6	-	2.0	2.5	0.5
Blackburn Brook		14.1	-	1.5	1.9	0.5
Burnley Brook		8.0	-	1.2	0.8	0.4
Eccles Brook		3.7	-	0.6	0.4	0.2
Liverpool Brook		26.6	-	4.8	4.6	1.9
Manchester Brook		13.3	-	3.1	1.7	1.2
Oldham Brook		11.0	-	1.7	1.1	1.0
Wigan & Leigh Brook		7.6	-	1.5	1.7	0.4
<b>Yorkshire &amp; the Humber Strategic Health Authority area</b>		<b>265.2</b>	<b>0.7</b>	<b>122.4</b>	<b>16.6</b>	<b>10.9</b>
Barnsley PCT	5JE	14.4	0.0	5.3	0.6	0.5
Bradford & Airedale Teaching PCT *	5NY	28.7	-	12.7	2.5	0.9
Calderdale and Huddersfield NHS Trust	RWY	30.1	-	11.4	2.8	0.9
Doncaster PCT	5N5	14.3	-	12.0	1.5	1.3
Harrogate and District NHS Foundation Trust	RCD	1.8	-	1.3	0.0	0.0
Hull Teaching PCT	5NX	29.1	0.2	14.1	1.8	1.5
Kirklees PCT *	5N2	7.5	0.0	3.1	0.1	0.1
Leeds PCT	5N1	19.3	-	21.0	1.1	1.0
North Lincolnshire PCT	5EF	5.2	-	1.3	0.1	0.6
North Yorkshire & York PCT *	5NV	20.3	-	8.9	1.2	0.8
Northern Lincolnshire & Goole Hospitals NHS Trust	RJL	3.4	-	2.1	0.1	-
Rotherham PCT	5H8	16.1	0.0	6.9	1.4	0.7
Sheffield PCT	5N4	58.9	0.4	16.8	3.0	2.4
Wakefield District PCT	5N3	16.1	-	5.5	0.4	0.3
<b>East Midlands Strategic Health Authority area</b>		<b>152.2</b>	<b>0.1</b>	<b>69.4</b>	<b>14.4</b>	<b>9.5</b>
Bassetlaw PCT	5ET	4.3	-	2.1	0.4	0.1
Derby City PCT	5N7	7.9	-	3.2	0.3	0.6
Derbyshire County PCT	5N6	23.8	-	8.4	7.4	1.1
Lincolnshire Teaching PCT	5N9	17.4	-	7.9	0.8	2.6
Northamptonshire Healthcare NHS Trust	RP1	11.2	-	8.1	0.8	1.0
Nottingham City PCT	5EM	45.2	-	20.3	3.2	1.7
Nottinghamshire County Teaching PCT	5N8	21.7	0.0	9.5	0.6	0.3
University Hospitals of Leicester NHS Trust *	RWE	20.7	0.0	10.0	0.9	2.1

Source: The Information Centre KT31 return

Notes:

The figures for those organisations marked \*\*\* include returns from other organisations not listed in this table. These figures are aggregated prior to submission and are impossible to separate. A list of organisations which provide community contraception services but which are not listed on this table is available in annex A.

- zero

© 2007 The Information Centre Contraception Services Statistics. All rights reserved.

Table 13 Contacts by provider 2006-07

thousands

		Clinic Attendances	Domiciliary Visits	No. of First Contacts - Female	Emergency Contraceptives Total	No. of First Contacts - Male
<b>England</b>		<b>2,464.1</b>	<b>11.5</b>	<b>1,132.4</b>	<b>158.1</b>	<b>116.9</b>
<b>West Midlands Strategic Health Authority area</b>		<b>239.5</b>	<b>0.7</b>	<b>107.6</b>	<b>15.3</b>	<b>13.7</b>
Coventry Teaching PCT	5MD	11.1	-	6.2	2.0	-
Dudley PCT	5PE	10.0	0.1	5.1	0.4	0.7
Heart Of Birmingham Teaching PCT *	5MX	32.0	0.0	20.1	0.7	1.0
Herefordshire PCT	5CN	5.0	-	2.7	0.3	0.1
Sandwell PCT	5PF	19.3	0.6	10.9	1.0	1.0
Shropshire County PCT	5M2	3.2	-	1.6	0.2	0.2
Solihull Care Trust	TAM	9.0	-	2.2	0.2	0.4
South Staffordshire PCT	5PK	21.8	-	12.4	1.9	1.0
Stoke on Trent Teaching PCT	5PJ	21.5	-	8.3	0.2	0.7
Telford and Wrekin PCT	5MK	4.3	-	2.2	0.3	0.2
Walsall Teaching PCT	5M3	13.5	-	5.9	0.7	0.8
Warwickshire PCT	5PM	8.7	-	5.7	0.3	0.3
Wolverhampton City PCT	5MV	16.1	-	4.6	1.3	0.8
Worcestershire PCT	5PL	26.4	-	11.8	1.6	0.9
Birmingham Brook		32.1	-	6.7	3.5	5.0
Sandwell & Dudley Brook		5.6	-	1.1	0.6	0.5
<b>East of England Strategic Health Authority area</b>		<b>180.4</b>	<b>1.4</b>	<b>82.8</b>	<b>9.4</b>	<b>13.9</b>
Cambridgeshire PCT	5PP	3.2	-	1.4	0.1	0.1
East & North Hertfordshire PCT	5P3	19.6	-	9.8	0.7	0.8
Essex Rivers Healthcare NHS Trust	RDE	10.9	-	5.3	0.3	0.3
Great Yarmouth & Waveney Teaching PCT	5PR	8.4	-	3.5	0.6	0.2
Ipswich Hospital NHS Trust	RGQ	2.1	-	5.6	0.4	0.6
Luton and Dunstable Hospital NHS Trust	RC9	0.6	-	0.1	-	0.1
Luton PCT	5GC	15.9	-	6.2	0.3	0.9
Mid Essex PCT	5PX	4.1	-	2.3	0.2	0.2
Norfolk and Norwich Health Care NHS Trust	RM1	15.2	-	7.3	1.1	0.4
Norfolk PCT	5PQ	6.4	-	2.7	0.3	0.6
North East Essex PCT	5PW	0.3	-	0.1	-	0.0
Peterborough PCT	5PN	9.0	-	2.4	0.1	1.1
South East Essex PCT *	5P1	30.4	0.8	11.9	2.3	1.0
South West Essex Teaching PCT	5PY	16.0	-	8.0	0.6	0.7
Suffolk PCT	5PT	26.6	0.5	10.5	1.5	5.7
The Princess Alexandra Hospital NHS Trust	RQW	4.7	-	2.4	0.2	0.1
West Essex PCT	5PV	7.0	0.0	3.4	0.7	1.2
<b>London Strategic Health Authority area</b>		<b>547.5</b>	<b>3.9</b>	<b>291.9</b>	<b>31.3</b>	<b>21.4</b>
Barnet PCT	5A9	22.0	-	11.1	1.1	0.7
Barts and the London NHS Trust	RNJ	0.7	-	0.6	0.1	-
Bexley Care Trust	TAK	4.2	-	3.5	0.4	0.3
Brent Teaching PCT	5K5	14.3	-	4.4	0.3	0.3
Bromley PCT	5A7	10.6	0.0	5.1	0.4	0.5
Camden PCT	5K7	46.7	-	29.3	2.4	0.3
City and Hackney PCT	5C3	12.2	2.8	7.3	0.6	0.6
Croydon PCT	5K9	10.0	0.0	6.1	0.8	0.7
Ealing PCT	5HX	19.3	-	11.3	1.1	0.4
Enfield PCT	5C1	10.2	-	8.9	0.5	0.2
Greenwich Teaching PCT	5A8	15.2	-	8.3	0.9	0.4
Hammersmith and Fulham PCT	5H1	11.0	-	6.5	0.3	0.0
Haringey Teaching PCT	5C9	14.4	-	8.3	0.6	0.1
Harrow PCT	5K6	16.6	-	7.0	1.4	2.9
Havering PCT	5A4	17.6	-	10.1	1.1	0.6
Hillingdon PCT	5AT	11.4	-	6.7	0.4	0.3
Homerton University Hospital NHS Foundation Trust	RQX	1.6	-	-	-	-
Hounslow PCT	5HY	16.2	0.0	12.3	0.6	0.1
Kensington and Chelsea PCT	5LA	15.6	-	15.3	1.1	0.1
King's College Hospital NHS Trust	RJZ	18.1	-	11.1	0.9	1.1
Kingston PCT	5A5	2.8	-	1.3	0.2	0.1
Lambeth PCT	5LD	21.8	-	12.7	1.3	0.8
Lewisham PCT	5LF	53.1	0.1	22.4	3.9	3.2
Newham PCT *	5C5	13.0	-	5.7	0.4	0.3
North West London Hospitals NHS Trust	RV8	16.6	-	7.0	1.4	2.9
Redbridge PCT	5NA	7.3	-	4.2	0.3	0.2
Richmond and Twickenham PCT	5M6	3.8	0.1	3.0	0.2	0.2
Royal Free Hampstead NHS Trust	RAL	1.3	-	1.2	0.1	-
Southwark PCT	5LE	25.9	-	12.2	1.6	1.3
St Mary's NHS Trust	RJ5	0.6	-	-	-	0.0
Sutton and Merton PCT	5M7	18.3	0.1	10.6	0.8	0.3
Tower Hamlets PCT	5C4	19.4	0.0	6.6	0.3	0.8
Waltham Forest PCT	5NC	16.0	0.0	4.6	1.0	0.3
Wandsworth PCT	5LG	28.0	0.7	16.9	1.1	0.3
Westminster PCT	5LC	7.2	-	4.9	0.1	0.1
London Brook		24.8	-	5.4	3.3	1.1

Source: The Information Centre KT31 return

Notes:

The figures for those organisations marked \*\*\* include returns from other organisations not listed in this table. These figures are aggregated prior to submission and are impossible to separate. A list of organisations which provide community contraception services but which are not listed on this table is available in annex A.

- zero

© 2007 The Information Centre Contraception Services Statistics. All rights reserved.

Table 13 Contacts by provider 2006-07

thousands

	Clinic Attendances	Domiciliary Visits	No. of First Contacts - Female	Emergency Contraceptives Total	No. of First Contacts - Male
<b>England</b>	<b>2,464.1</b>	<b>11.5</b>	<b>1,132.4</b>	<b>158.1</b>	<b>116.9</b>
<b>South Central Strategic Health Authority area</b>	<b>141.2</b>	<b>0.5</b>	<b>63.3</b>	<b>6.1</b>	<b>5.9</b>
East Sussex Downs & Weald PCT	5P7 6.6	-	3.6	0.5	0.7
Eastern & Coastal Kent Teaching PCT	5QA 48.4	-	18.5	1.7	1.5
Hastings & Rother PCT	5P8 4.4	-	2.5	0.2	0.1
South Downs Health NHS Trust *	RDR 9.0	-	4.2	0.6	0.4
Surrey PCT	5P5 28.0	0.0	11.7	1.3	0.4
West Kent PCT	5P9 14.5	-	8.0	0.6	0.6
West Sussex Teaching PCT	5P6 20.8	0.1	10.0	0.8	1.6
Worthing and Southlands Hospitals NHS Trust	RPL 9.3	0.4	4.7	0.4	0.6
<b>South East Coast Strategic Health Authority area</b>	<b>154.5</b>	<b>0.7</b>	<b>67.1</b>	<b>11.7</b>	<b>6.9</b>
Berkshire East Teaching PCT	5QG 10.6	-	10.2	0.3	0.4
Buckinghamshire PCT	5QD 5.2	-	0.9	0.1	0.1
Hampshire PCT	5QC 11.6	-	2.7	0.3	0.4
Isle of Wight Healthcare PCT	5QT 3.3	-	1.1	0.1	0.1
Milton Keynes PCT	5CQ 1.7	-	1.0	0.0	0.0
Oxfordshire PCT	5QE 28.4	-	14.1	2.8	0.8
Portsmouth City Teaching PCT	5FE 46.0	0.6	21.7	3.5	3.2
Royal Berkshire and Battle Hospitals NHS Trust	RHW 7.0	-	3.3	0.7	0.1
Southampton City PCT	5L1 13.9	0.0	6.7	0.7	0.5
Winchester and Eastleigh Healthcare NHS Trust	RN1 8.1	-	3.2	0.6	0.1
Milton Keynes Brook	18.6	-	2.2	2.6	1.1
<b>South West Strategic Health Authority area</b>	<b>174.8</b>	<b>0.1</b>	<b>75.4</b>	<b>10.6</b>	<b>8.6</b>
Bath and North East Somerset PCT	5FL 8.3	-	4.1	0.3	0.4
Bournemouth & Poole PCT	5QN 8.4	-	4.2	1.0	0.4
Devon PCT	5QQ 26.2	-	12.6	2.9	1.1
Dorset PCT	5QM 5.9	-	2.7	0.2	0.1
Gloucestershire PCT	5QH 23.5	-	9.7	1.2	0.6
North Bristol NHS Trust *	RVJ 7.3	-	2.8	0.2	0.3
Plymouth Teaching PCT	5F1 11.0	-	5.9	1.0	1.5
Royal Cornwall Hospitals NHS Trust *	REF 13.0	-	5.9	0.2	0.3
Salisbury Health Care NHS Trust	RNZ 7.1	-	2.5	0.5	0.3
South Devon Healthcare NHS Trust	RA9 7.6	-	3.5	0.2	0.9
Swindon PCT	5K3 10.8	0.1	4.4	0.6	0.7
Taunton and Somerset NHS Trust *	RBA 14.5	-	6.1	0.7	0.7
United Bristol Healthcare NHS Trust	RA7 14.3	-	7.4	0.3	0.2
Bristol Brook	11.7	-	2.5	1.0	0.6
Cornwall Brook	5.2	-	0.9	0.4	0.4

Source: The Information Centre KT31 return

Notes:

The figures for those organisations marked \*\*\* include returns from other organisations not listed in this table. These figures are aggregated prior to submission and are impossible to separate. A list of organisations which provide community contraception services but which are not listed on this table is available in annex A.

- zero

© 2007 The Information Centre Contraception Services Statistics. All rights reserved.

Table 14 Contacts with women by provider, by age group and by method of contraception 2006-07

thousands/ percentages

		Total first contacts with women	First contacts with women under 20	First contacts with women aged 20-34	First contacts with women aged 35 & over	Long Acting Reversible Contraceptives (LARCs) total	User dependant methods total	Other methods	No method provided/ contacts for reasons other than contraception
<b>England</b>		<b>1,132.4</b>	<b>30%</b>	<b>48%</b>	<b>22%</b>	<b>15%</b>	<b>54%</b>	<b>3%</b>	<b>27%</b>
<b>North East Strategic Health Authority area</b>		<b>64.5</b>	<b>37%</b>	<b>42%</b>	<b>21%</b>	<b>18%</b>	<b>48%</b>	<b>4%</b>	<b>30%</b>
City Hospitals Sunderland NHS Foundation Trust	RLN	6.3	35%	45%	20%	18%	49%	0%	33%
County Durham PCT	5ND	10.6	38%	41%	22%	20%	53%	3%	24%
Darlington PCT	5J9	1.0	29%	54%	17%	22%	58%	0%	20%
Gateshead PCT	5KF	5.3	37%	45%	18%	15%	60%	1%	24%
Hartlepool PCT*	5D9	2.2	38%	39%	23%	8%	56%	1%	35%
Middlesbrough PCT	5KM	8.9	31%	41%	28%	8%	47%	8%	36%
Newcastle PCT	5D7	9.0	36%	45%	19%	29%	31%	13%	27%
North Tees PCT	5E1	5.9	32%	41%	27%	11%	54%	2%	32%
North Tyneside PCT	5D8	5.7	47%	40%	13%	11%	36%	2%	51%
Northumberland Care Trust	TAC	4.1	53%	29%	18%	19%	51%	1%	29%
South Tyneside PCT	5KG	5.6	36%	44%	19%	26%	57%	0%	17%
<b>North West Strategic Health Authority area</b>		<b>187.9</b>	<b>34%</b>	<b>46%</b>	<b>20%</b>	<b>17%</b>	<b>53%</b>	<b>4%</b>	<b>25%</b>
Ashton, Leigh and Wigan PCT	5HG	0.7	58%	35%	7%	18%	55%	0%	27%
Blackburn with Darwen PCT	5CC	2.8	16%	51%	33%	9%	54%	4%	33%
Blackpool PCT	5HP	4.2	18%	53%	29%	26%	51%	1%	23%
Bolton PCT	5HQ	4.8	42%	40%	19%	23%	29%	10%	37%
Bury PCT	5JX	2.4	46%	35%	19%	17%	54%	1%	28%
Central & Eastern Cheshire PCT	5NP	10.4	41%	36%	23%	15%	65%	2%	18%
Central Lancashire PCT	5NG	10.7	41%	42%	17%	14%	67%	0%	19%
Cumbria PCT	5NE	6.8	40%	42%	18%	19%	60%	0%	21%
East Lancashire PCT	5NH	2.8	30%	44%	26%	21%	55%	1%	23%
Halton and St.Helens PCT	5NM	17.9	41%	41%	18%	20%	53%	14%	12%
Heywood, Middleton & Rochdale PCT*	5NQ	0.9	18%	61%	21%	18%	42%	12%	28%
Liverpool PCT	5NL	30.5	21%	55%	24%	24%	54%	1%	21%
Manchester PCT	5NT	23.7	12%	67%	21%	12%	46%	1%	40%
North Lancashire PCT	5NF	2.4	47%	39%	14%	12%	55%	2%	31%
Oldham PCT	5J5	1.3	20%	59%	21%	26%	70%	0%	3%
Salford PCT	5F5	4.1	26%	49%	25%	13%	24%	1%	62%
Sefton PCT	5NJ	5.3	27%	49%	23%	24%	52%	3%	21%
Stockport PCT	5F7	6.3	44%	38%	18%	14%	48%	0%	37%
Tameside and Glossop PCT	5LH	3.6	25%	53%	22%	20%	51%	5%	24%
Trafford Healthcare NHS Trust*	RM4	5.3	14%	49%	37%	17%	50%	2%	32%
Warrington PCT	5J2	3.0	43%	39%	18%	13%	48%	2%	37%
West Cheshire PCT	5NN	2.3	28%	51%	21%	26%	66%	1%	7%
Wirral PCT	5NK	10.9	40%	39%	21%	22%	49%	6%	22%
Wrightington, Wigan & Leigh NHS Trust	RRF	8.2	23%	47%	30%	24%	54%	2%	20%
Birkenhead Brook		2.0	78%	21%	0%	3%	67%	7%	23%
Blackburn Brook		1.5	82%	18%	0%	1%	59%	6%	34%
Burnley Brook		1.2	75%	25%	0%	3%	60%	3%	34%
Eccles Brook		0.6	76%	24%	0%	4%	70%	2%	23%
Liverpool Brook		4.8	67%	33%	0%	3%	69%	6%	22%
Manchester Brook		3.1	97%	3%	0%	1%	67%	29%	3%
Oldham Brook		1.7	81%	19%	0%	3%	41%	17%	39%
Wigan & Leigh Brook		1.5	90%	10%	0%	1%	70%	7%	22%
<b>Yorkshire &amp; the Humber Strategic Health Authority area</b>		<b>122.4</b>	<b>36%</b>	<b>44%</b>	<b>20%</b>	<b>15%</b>	<b>52%</b>	<b>3%</b>	<b>30%</b>
Barnsley PCT	5JE	5.3	33%	37%	30%	13%	44%	8%	36%
Bradford & Airedale Teaching PCT*	5NY	12.7	32%	54%	15%	16%	54%	3%	27%
Calderdale and Huddersfield NHS Trust	RWY	11.4	35%	44%	21%	13%	78%	1%	8%
Doncaster PCT	5N5	12.0	51%	32%	17%	15%	47%	0%	38%
Harrogate and District NHS Foundation Trust	RCD	1.3	49%	33%	18%	16%	61%	12%	11%
Hull Teaching PCT	5NX	14.1	46%	41%	13%	14%	48%	6%	32%
Kirklees PCT*	5N2	3.1	19%	52%	30%	20%	57%	2%	21%
Leeds PCT	5N1	21.0	32%	53%	16%	13%	37%	4%	46%
North Lincolnshire PCT	5EF	1.3	88%	12%	0%	2%	77%	0%	21%
North Yorkshire & York PCT*	5NV	8.9	37%	45%	18%	21%	61%	2%	16%
Northern Lincolnshire & Goole Hospitals NHS Trust	RJL	2.1	48%	36%	16%	7%	50%	3%	41%
Rotherham PCT	5H8	6.9	29%	38%	33%	17%	57%	1%	26%
Sheffield PCT	5N4	16.8	25%	45%	30%	16%	50%	2%	32%
Wakefield District PCT	5N3	5.5	36%	45%	18%	21%	58%	1%	19%
<b>East Midlands Strategic Health Authority area</b>		<b>69.4</b>	<b>36%</b>	<b>43%</b>	<b>21%</b>	<b>18%</b>	<b>57%</b>	<b>2%</b>	<b>22%</b>
Bassetlaw PCT	5ET	2.1	28%	42%	29%	25%	40%	1%	35%
Derby City PCT	5N7	3.2	39%	42%	18%	22%	64%	1%	14%
Derbyshire County PCT	5N6	8.4	35%	41%	23%	21%	58%	1%	19%
Lincolnshire Teaching PCT	5N9	7.9	44%	40%	16%	17%	47%	2%	33%
Northamptonshire Healthcare NHS Trust	RP1	8.1	55%	31%	14%	7%	45%	0%	48%
Nottingham City PCT	5EM	20.3	35%	47%	18%	17%	64%	2%	16%
Nottinghamshire County Teaching PCT	5N8	9.5	32%	42%	26%	26%	64%	6%	4%
University Hospitals of Leicester NHS Trust*	RWE	10.0	22%	50%	29%	19%	54%	3%	24%

Source: The Information Centre KT31 return

Notes:

The figures for those organisations marked "\*" include returns from other organisations not listed in this table. These figures are aggregated prior to submission and are impossible to separate. A list of organisations which provide community contraception services but which are not listed on this table is available in annex A.

- zero

© 2007 The Information Centre Contraception Services Statistics. All rights reserved.

Table 14 Contacts with women by provider by age and method of contraception 2006-07

thousands/ percentages

		Total first contacts with women	First contacts with women under 20	First contacts with women aged 20-34	First contacts with women aged 35 & over	Long Acting Reversible Contraceptives (LARCs) total	User dependant methods total	Other methods	No method provided/ contacts for reasons other than contraception
<b>England</b>		<b>1,132.4</b>	<b>30%</b>	<b>48%</b>	<b>22%</b>	<b>15%</b>	<b>54%</b>	<b>3%</b>	<b>27%</b>
<b>West Midlands Strategic Health Authority area</b>		<b>107.6</b>	<b>30%</b>	<b>47%</b>	<b>23%</b>	<b>14%</b>	<b>52%</b>	<b>5%</b>	<b>30%</b>
Coventry Teaching PCT	SMD	6.2	28%	54%	18%	7%	25%	19%	50%
Dudley PCT	SPE	5.1	24%	50%	26%	21%	51%	2%	26%
Heart Of Birmingham Teaching PCT*	5MX	20.1	7%	59%	34%	12%	37%	7%	44%
Herefordshire PCT	5CN	2.7	34%	42%	24%	18%	54%	5%	24%
Sandwell PCT	5PF	10.9	15%	43%	42%	13%	46%	0%	41%
Shropshire County PCT	5M2	1.6	41%	35%	24%	17%	54%	4%	25%
Solihull Care Trust	TAM	2.2	46%	43%	12%	19%	70%	1%	10%
South Staffordshire PCT	5PK	12.4	48%	41%	11%	8%	64%	8%	20%
Stoke on Trent Teaching PCT	5PJ	8.3	35%	42%	23%	14%	46%	8%	32%
Telford and Wrekin PCT	5MK	2.2	36%	38%	26%	20%	44%	8%	28%
Walsall Teaching PCT	5M3	5.9	28%	47%	25%	14%	60%	3%	22%
Warwickshire PCT	5PM	5.7	30%	46%	24%	23%	57%	2%	18%
Wolverhampton City PCT	5MV	4.6	27%	49%	24%	26%	70%	1%	4%
Worcestershire PCT	5PL	11.8	30%	52%	18%	17%	62%	1%	21%
Birmingham Brook		6.7	75%	25%	0%	1%	69%	0%	30%
Sandwell & Dudley Brook		1.1	75%	25%	1%	2%	67%	0%	31%
<b>East of England Strategic Health Authority area</b>		<b>82.8</b>	<b>41%</b>	<b>41%</b>	<b>18%</b>	<b>12%</b>	<b>55%</b>	<b>3%</b>	<b>30%</b>
Cambridgeshire PCT	5PP	1.4	37%	39%	24%	14%	63%	2%	21%
East & North Hertfordshire PCT	5P3	9.8	31%	47%	21%	16%	64%	2%	17%
Essex Rivers Healthcare NHS Trust	RDE	5.3	39%	43%	18%	19%	66%	1%	15%
Great Yarmouth & Waveney Teaching PCT	5PR	3.5	38%	48%	14%	12%	67%	2%	19%
Ipswich Hospital NHS Trust	RGQ	5.6	56%	35%	9%	11%	45%	0%	44%
Luton and Dunstable Hospital NHS Trust	RC9	0.1	16%	58%	26%	25%	75%	0%	0%
Luton PCT	5GC	6.2	28%	47%	24%	12%	38%	16%	34%
Mid Essex PCT	5PX	2.3	34%	45%	20%	9%	70%	2%	18%
Norfolk and Norwich Health Care NHS Trust	RM1	7.3	30%	53%	18%	20%	56%	5%	19%
Norfolk PCT	5PQ	2.7	45%	41%	14%	5%	62%	1%	33%
North East Essex PCT	5PW	0.1	98%	2%	0%	0%	79%	2%	19%
Peterborough PCT	5PN	2.4	47%	41%	12%	5%	74%	2%	20%
South East Essex PCT*	5P1	11.9	46%	34%	20%	9%	58%	1%	33%
South West Essex Teaching PCT	5PY	8.0	31%	45%	25%	8%	40%	5%	48%
Suffolk PCT	5PT	10.5	51%	35%	14%	11%	49%	1%	40%
The Princess Alexandra Hospital NHS Trust	RQW	2.4	20%	52%	28%	15%	57%	5%	23%
West Essex PCT	5PV	3.4	84%	16%	0%	9%	56%	0%	35%
<b>London Strategic Health Authority area</b>		<b>291.9</b>	<b>18%</b>	<b>56%</b>	<b>25%</b>	<b>14%</b>	<b>57%</b>	<b>2%</b>	<b>27%</b>
Barnet PCT	5A9	11.1	13%	53%	34%	12%	57%	3%	28%
Barts and the London NHS Trust	RNJ	0.6	23%	72%	5%	22%	78%	0%	0%
Bexley Care Trust	TAK	3.5	53%	35%	12%	11%	69%	5%	15%
Brent Teaching PCT	5K5	4.4	9%	55%	36%	14%	84%	2%	0%
Bromley PCT	5A7	5.1	23%	45%	31%	10%	58%	1%	31%
Camden PCT	5K7	29.3	9%	72%	19%	11%	61%	2%	27%
City and Hackney PCT	5C3	7.3	18%	54%	28%	10%	42%	6%	41%
Croydon PCT	5K9	6.1	37%	41%	23%	17%	61%	4%	19%
Ealing PCT	5HX	11.3	12%	58%	29%	16%	51%	4%	30%
Enfield PCT	5C1	8.9	21%	56%	23%	11%	59%	1%	30%
Greenwich Teaching PCT	5A8	8.3	23%	53%	23%	21%	46%	5%	27%
Hammersmith and Fulham PCT	5H1	6.5	6%	67%	27%	14%	63%	2%	21%
Haringey Teaching PCT	5C9	8.3	11%	62%	27%	22%	54%	1%	24%
Harrow PCT	5K6	7.0	35%	40%	25%	10%	68%	2%	21%
Havering PCT	5A4	10.1	25%	38%	38%	20%	46%	2%	32%
Hillingdon PCT	5AT	6.7	18%	47%	35%	10%	59%	1%	30%
Hounslow PCT	5HY	12.3	19%	55%	26%	17%	83%	1%	0%
Kensington and Chelsea PCT	5LA	15.3	10%	63%	27%	9%	52%	1%	38%
King's College Hospital NHS Trust	RJZ	11.1	12%	62%	26%	20%	38%	1%	40%
Kingston PCT	5A5	1.3	45%	37%	19%	5%	65%	5%	24%
Lambeth PCT	5LD	12.7	17%	66%	17%	14%	65%	0%	21%
Lewisham PCT	5LF	22.4	22%	53%	26%	16%	55%	1%	28%
Newham PCT*	5C5	5.7	14%	56%	29%	14%	54%	0%	31%
North West London Hospitals NHS Trust	RV8	7.0	35%	40%	25%	10%	68%	2%	21%
Redbridge PCT	5NA	4.2	16%	46%	38%	16%	57%	4%	23%
Richmond and Twickenham PCT	5M6	3.0	46%	33%	21%	7%	61%	6%	26%
Royal Free Hampstead NHS Trust	RAL	1.2	11%	63%	26%	48%	41%	3%	8%
Southwark PCT	5LE	12.2	20%	60%	20%	11%	54%	0%	35%
Sutton and Merton PCT	5M7	10.6	17%	51%	32%	14%	56%	1%	28%
Tower Hamlets PCT	5C4	6.6	9%	72%	19%	15%	60%	1%	24%
Waltham Forest PCT	5NC	4.6	26%	51%	23%	14%	44%	4%	38%
Wandsworth PCT	5LG	16.9	13%	62%	25%	13%	48%	2%	37%
Westminster PCT	5LC	4.9	3%	61%	36%	5%	46%	1%	47%
London Brook		5.4	59%	41%	0%	6%	82%	0%	12%

Source: The Information Centre KT31 return

Notes:

The figures for those organisations marked "\*" include returns from other organisations not listed in this table. These figures are aggregated prior to submission and are impossible to separate. A list of organisations which provide community contraception services but which are not listed on this table is available in annex A.

- zero

© 2007 The Information Centre Contraception Services Statistics. All rights reserved.

Table 14 Contacts with women by provider by age and method of contraception 2006-07

thousands/ percentages

		Total first contacts with women	First contacts with women under 20	First contacts with women aged 20-34	First contacts with women aged 35 & over	Long Acting Reversible Contraceptives (LARCs) total	User dependant methods total	Other methods	No method provided/ contacts for reasons other than contraception
<b>England</b>		<b>1,132.4</b>	<b>30%</b>	<b>48%</b>	<b>22%</b>	<b>15%</b>	<b>54%</b>	<b>3%</b>	<b>27%</b>
<b>South East Coast Strategic Health Authority area</b>		<b>63.3</b>	<b>32%</b>	<b>44%</b>	<b>24%</b>	<b>16%</b>	<b>60%</b>	<b>4%</b>	<b>20%</b>
East Sussex Downs & Weald PCT	5P7	3.6	36%	40%	24%	9%	58%	1%	31%
Eastern & Coastal Kent Teaching PCT	5QA	18.5	39%	43%	18%	17%	62%	4%	17%
Hastings & Rother PCT	5P8	2.5	28%	41%	31%	4%	48%	6%	42%
South Downs Health NHS Trust*	RDR	4.2	24%	51%	25%	8%	47%	9%	36%
Surrey PCT	5P5	11.7	26%	46%	28%	17%	59%	5%	19%
West Kent PCT	5P9	8.0	34%	46%	20%	13%	71%	2%	15%
West Sussex Teaching PCT	5P6	10.0	27%	45%	28%	21%	65%	1%	13%
Worthing and Southlands Hospitals NHS Trust	RPL	4.7	30%	44%	27%	21%	47%	9%	23%
<b>South Central Strategic Health Authority area</b>		<b>67.1</b>	<b>31%</b>	<b>50%</b>	<b>18%</b>	<b>13%</b>	<b>52%</b>	<b>2%</b>	<b>33%</b>
Berkshire East Teaching PCT	5QG	10.2	16%	58%	26%	9%	31%	0%	59%
Buckinghamshire PCT	5QD	0.9	30%	48%	22%	23%	43%	5%	29%
Hampshire PCT	5QC	2.7	52%	35%	14%	11%	51%	2%	35%
Isle of Wight Healthcare PCT	5QT	1.1	48%	35%	18%	43%	44%	2%	11%
Milton Keynes PCT	5CQ	1.0	4%	60%	36%	21%	53%	5%	21%
Oxfordshire PCT	5QE	14.1	28%	53%	19%	9%	61%	1%	29%
Portsmouth City Teaching PCT	5FE	21.7	33%	47%	20%	15%	58%	1%	27%
Royal Berkshire and Battle Hospitals NHS Trust	RHW	3.3	43%	50%	6%	15%	47%	15%	23%
Southampton City PCT	5L1	6.7	27%	59%	13%	13%	39%	3%	45%
Winchester and Eastleigh Healthcare NHS Trust	RN1	3.2	34%	48%	18%	28%	62%	1%	9%
Milton Keynes Brook		2.2	74%	26%	0%	3%	71%	0%	25%
<b>South West Strategic Health Authority area</b>		<b>75.4</b>	<b>36%</b>	<b>44%</b>	<b>20%</b>	<b>20%</b>	<b>50%</b>	<b>4%</b>	<b>27%</b>
Bath and North East Somerset PCT	5FL	4.1	31%	42%	27%	20%	59%	3%	19%
Bournemouth & Poole PCT	5QN	4.2	52%	32%	16%	18%	54%	8%	21%
Devon PCT	5QQ	12.6	33%	48%	19%	18%	63%	3%	17%
Dorset PCT	5QM	2.7	34%	40%	26%	40%	40%	8%	11%
Gloucestershire PCT	5QH	9.7	24%	53%	23%	24%	46%	6%	25%
North Bristol NHS Trust*	RVJ	2.8	33%	41%	26%	29%	43%	5%	24%
Plymouth Teaching PCT	5F1	5.9	50%	35%	15%	25%	42%	4%	28%
Royal Cornwall Hospitals NHS Trust*	REF	5.9	40%	37%	22%	26%	43%	3%	28%
Salisbury Health Care NHS Trust	RNZ	2.5	37%	42%	21%	13%	64%	1%	22%
South Devon Healthcare NHS Trust	RA9	3.5	38%	38%	24%	14%	69%	5%	12%
Swindon PCT	5K3	4.4	36%	42%	21%	9%	57%	5%	28%
Taunton and Somerset NHS Trust*	RBA	6.1	35%	42%	23%	17%	54%	4%	25%
United Bristol Healthcare NHS Trust	RA7	7.4	20%	59%	21%	18%	23%	1%	58%
Bristol Brook		2.5	62%	38%	0%	3%	40%	0%	57%
Cornwall Brook		0.9	74%	24%	2%	3%	64%	1%	32%

Source: The Information Centre KT31 return

Notes:

The figures for those organisations marked "\*" include returns from other organisations not listed in this table. These figures are aggregated prior to submission and are impossible to separate. A list of organisations which provide community contraception services but which are not listed on this table is available in annex A.

- zero

© 2007 The Information Centre Contraception Services Statistics. All rights reserved.

## Annex A NHS organisations which include returns from other organisations

Organisation	Other organisations included in return
<b>North East Strategic Health Authority area</b>	
Hartlepool PCT	North Tees and Hartlepool NHS Trust
<b>North West Strategic Health Authority area</b>	
Halton & St Helens PCT	Knowsley PCT
Heywood, Middleton & Rochdale PCT	Pennine Acute Hospitals NHS Trust
Trafford Healthcare NHS Trust	Trafford PCT
<b>Yorkshire &amp; the Humber Strategic Health Authority area</b>	
Bradford & Airedale Teaching PCT	Airedale NHS Trust
Bradford & Airedale Teaching PCT	Bradford Teaching Hospitals NHS Foundation Trust
Kirklees PCT	Mid-Yorkshire Hospitals NHS Trust
North Yorkshire & York PCT	York Hospitals NHS Trust
<b>East Midlands Strategic Health Authority area</b>	
University Hospitals of Leicester NHS Trust	Leicester City Teaching PCT
University Hospitals of Leicester NHS Trust	Leicestershire County & Rutland PCT
<b>West Midlands Strategic Health Authority area</b>	
Heart of Birmingham Teaching PCT	Birmingham East & North PCT
Heart of Birmingham Teaching PCT	South Birmingham PCT
<b>East of England Strategic Health Authority area</b>	
South East Essex PCT	Southend Hospital NHS Trust
<b>London Strategic Health Authority area</b>	
Newham PCT	Newham University Hospital NHS Trust
<b>South East Coast Strategic Health Authority area</b>	
South Downs Health NHS Trust	Brighton and Hove City PCT
<b>South West Strategic Health Authority area</b>	
North Bristol NHS Trust	South Gloucestershire PCT
Royal Cornwall Hospitals NHS Trust	Cornwall & Isles of Scilly PCT
Taunton and Somerset NHS Trust	East Somerset NHS Trust
Taunton and Somerset NHS Trust	Somerset PCT

## Collection Form

This is the Collection Form for the KT31

### Part A (i)

Total Contacts

Type of Contact	Number of Contacts	
	1. Clinic Attendance	
2. Domiciliary Visit		
		0

### Part A (ii)

Clinic Sessions for People Aged Under 25

Young Persons Clinics	Number	
	1. Clinic Sessions	
2. Total Contacts In Young Persons Clinics		

### Part B

First Contacts in the Financial Year - Females

		Age							
		<15	15	16-17	18-19	20-24	25-34	35+	
Oral Contraceptive									
Main Method Of Contraception Chosen	1. (i) Combined Preparation								0
	2. (ii) Progestogen Only								0
Main Method Of Contraception Chosen	3. IU Device (IUD)								0
	4. Cap, Diaphragm								0
	5. Injectable Contraceptive								0
	6. Other Chemicals (Spermicides, etc, but only when used on their own)								0
	7. Male Condom								0
	8. Female Condom (e.g. Femidom)								0

Natural Family Planning / Fertility Awareness (Rhythm Method)									
Main Method Of Contraception Chosen	9. (i) Fertility Indicators (Singular or Combined)								0
	10. (ii) Fertility Devices (including Persona)								0
Main Method Of Contraception Chosen	11. Female Sterilisation								0
	12. Implant								0
	13. IU System (IUS) (Including Mirena)								0
	14. Contraceptive Patch								0
	15. Other Methods								0
	16. No Method Provided								0
	17. Contact for Reasons Other Than Contraception								0
99. TOTAL								0	

**Part B - Additional**

Please explain any significant changes in your total female first contacts compared with last year

If Line 8 (Female Condom) total is more than 10 percent of Line 7 (Male Condom)'s total, please supply a reason.

If all Under 15s = 0, please state whether the number of under 15s is unknown and included with the total aged 15 or is actually zero

**Part C**

Post Coital Contraceptives - Females - Number of Occasions

		Age						
		<15	15	16-17	18-19	20-24	25-34	
Type	1. Hormonal							0
	2. IUD							0
	99. TOTAL							0

**Part C - Additional**

Please explain any significant changes in the total post-coital contraceptives prescribed compared to last year

If all Under 15s = 0, please state whether the number of under 15s is unknown and included with the total aged 15 or is actually zero

**Part D (i)**

First Contacts in the Financial Year - Males

		Age						
		<15	15	16-17	18-19	20-24	25-34	
Main Method Of Contraception Chosen	1. Vasectomy							0
	2. Male Condom							0
	3. Other Methods							0
	4. No Method Provided							0
	5. Contact for Reasons Other Than Contraception							0
	9. TOTAL							0

**Part D (i) - Additional**

Please explain any significant changes in your total male first contacts compared with last year

If all Under 15s = 0, please state whether the number of under 15s is unknown and included with the total aged 15 or is actually zero

**Part D (ii)**

Vasectomies - All Operations in Family Planning Clinics, Out Patients Clinics or Under Contract

TOTAL

**Part E**

Please use this space to record anything relevant to the quantity or consistency of the data

## **KT31 Family Planning Services: Additional Guidance Notes And Definitions (Revised From 2003-04)**

1. The coverage of the KT31 return includes services provided by Trusts in clinics and as domiciliary visits and also those provided by non-NHS clinics funded wholly or in part by the NHS. Not included are services provided by consultants in outpatient clinics or those provided by general medical practitioners.
2. A contact is a clinic attendance or a domiciliary visit during which a client is seen by professional staff for counselling, or in order to be prescribed contraceptives.
3. A first contact in the financial year is the first time a client is seen in the year by the family planning service. A subsequent contact with the same service provider does not count as a first contact, so each client is recorded only once in any year by any Trust.
4. Where a couple are seen together only one first contact is recorded; where either vasectomy or the male condom is the main method chosen, the first contact is recorded as one with a man; in all other cases, where any other method is chosen, the first contact is recorded as one with a woman.
5. The main method of contraception for new clients is that chosen after counselling; for existing clients it is the principal method in use unless a change is advised. For new clients, the main method should be the substantive method chosen and not any interim method, even if the choice is not made until a subsequent attendance or visit. In particular, where vasectomy or female sterilisation is the method chosen after counselling, any interim methods used while waiting for an operation should not be recorded.

### **WHEN COMPLETING THE KT31 PLEASE NOTE:**

#### **Part A (i)**

*For Part A(i) In Omnibus clicking on the 'recalculate grid' button after you have entered your data will calculate the column total, please ensure that your manually calculated totals match the one generated by Omnibus.*

Record all contacts, including those occurring at young persons' clinics – contacts at a young persons clinic should also be counted at A (ii)

#### **Part A (ii)**

Young persons' clinic is one intended for persons up to age 25

Line 1 -A clinic session is recorded each time young persons' clinic is held; do not include any other type of clinic session

Line 2 - All contacts at young persons clinics should be recorded, regardless of the age of the client; where a couple attend together, record one contact only

## **Part B**

*For Part B In Omnibus clicking on the 'recalculate grid' button after you have entered your data will calculate a total for each row, please ensure that your manually calculated age totals match the ones generated by Omnibus.*

This chart is divided using different headers. However, these are for guidance only and do not represent different sections of Part B

Please provide full detail if possible; it is very difficult to impute the age and method combinations from age totals and method totals only; if full year detail by age/method is not available, part-year or sample-based detail would be helpful in addition to any full-year figures

Line 3 - IU Devices – do not include use of the Mirena intra-uterine system (IUS), this should be included at line 13

Line 6 – Other Chemicals, (mainly spermicidal foams, gels, jellies and cream), should be included only when they are used on their own and not when used with, for example, a barrier method.

Lines 7 and 8 – both these lines relate to female first contacts; record in line 7 the number of women whose main method is the male condom; and in line 8 the number of women whose main method is the female condom (e.g. "Femidom"); information about male first contacts should be recorded in part D(i)

Lines 9 and 10 - The terms "Natural Family Planning " or "Fertility Awareness" are now used in preference to "Rhythm Method". There are a number of recognised indicators that monitor the timing of ovulation. For example, cycle length, waking body temperature, cervical secretions (cervical mucus); these indicators may be used in combination and there are also fertility devices (including Persona).

These methods are recorded as follows:

line 9 - Fertility indicators (singular or combined); and

line 10 - Fertility devices (including Persona). Where both indicators and devices are used, record under line 10 devices.

Line 13 – IU System – include use of the Mirena intra-uterine system (IUS).

Line 15 - record here the number of women whose main method is not listed in lines 1 to 14; include in line 15 women whose first contact is an attendance for post-coital (emergency) contraception who have no other method recorded as their main method.

Line 16 - record here the number of women who attend for contraceptive advice and have no current method but for whom no method is advised.

Line 17 - record here the number of women who attend the clinic solely for purposes not connected with contraceptive advice e.g. for cervical screening only.

### **Part B – Additional**

The questions in this section are to help us validate your data.

### **Part C**

*For Part C In Omnibus clicking on the 'recalculate grid' button after you have entered your data will calculate a total for each row, please ensure that your manually calculated age totals match the ones generated by Omnibus.*

Record every contact with a woman for post-coital contraception, not just first contacts.

### **Part C – Additional**

The questions in this section are to help us validate your data.

### **Part D (i)**

*For Part D In Omnibus clicking on the 'recalculate grid' button after you have entered your data will calculate a total for each row, please ensure that your manually calculated age totals match the ones generated by Omnibus.*

In line 3 record the number of male first contacts whose main method is neither vasectomy nor male condom.

### **Part D (i) – Additional**

The questions in this section are to help us validate your data.

### **Part D (ii)**

Record the number of vasectomy operations carried out by the Trust in a family planning clinic or an outpatient clinic or under contract with a non-NHS clinic or hospital; do not include vasectomies carried out by the Trust on an in-patient basis.

### **Part E**

Use the space to record anything relevant to the quantity or consistency of the data.





<p><b>Price: Free</b></p>	<p><b>Published by The Information Centre Part of the Government Statistical Service</b></p> <p><b>ISBN: 978-1-84636-164-7      Bulletin: IC 2007 15</b></p> <p>This publication may be requested in large print or other formats. For further information contact: online: <a href="http://www.ic.nhs.uk">www.ic.nhs.uk</a> telephone: 0845 300 6016 email: <a href="mailto:enquiries@ic.nhs.uk">enquiries@ic.nhs.uk</a></p> <p>© 2007 The Information Centre. All rights reserved</p> <p>This work remains the sole and exclusive use of The Information Centre, and may only be reproduced, and publicly displayed, where there is explicit reference to the ownership of The Information Centre.</p> <p>This work may only be reproduced in a modified format with the express written permission of The Information Centre.</p>
---------------------------	--